

Technical Information

Tomadol® Ethoxylated Alcohols and Nonidet® Alkoxyated Surfactants

Description

Evonik produces a wide variety of nonionic surfactants. The Tomadol® ethoxylates vary in both hydrophobe and ethylene oxide chain lengths, to yield a wide range of physical and surfactant properties. The Tomadol® ethoxylates are excellent wetting agents, emulsifiers and detergents. Tomadol® ethoxylates are moderate foamers. The Nonidet® surfactants are nonionic surfactants that incorporate both ethylene oxide and propylene oxide to provide lower foam and good detergency.

Tomadol® Ethoxylates Alcohol Surfactants

Made from linear synthetic alcohols, a complete range of excellent wetting agents, emulsifiers and detergents that provide ease of handling and formulation.

	EO Groups (Avg.)	Molecular Weight	EO Content Wt%	Melting Range, °C	Color (APHA)	Sp. Gravity @ 25 °C	Viscosity, cSt @ 100 °F	Hydroxyl No., mg KOH/g	Surface Tension (0.1 wt%)	Flash pt. °C	Cloud pt. °C	Pour pt. °C	HLB
Tomadol 91-2.5	2.7	281	42.3	-25 to -17	5-10	0.925	12	200	24	124	(b)	-13	8.5
Tomadol 91-5	5	401	54.8	-14.44	50	0.972	20	140-157	27	146	31	3	11
Tomadol 91-6	6	425	62.1	-5 to 15	5-10	0.984	23	132	29	143	52	6	12.4
Tomadol 91-8	8.3	524	69.7	7 to 24	5-10	1.008	39	107	30	159	80	15	13.9
Tomadol 1-3	3	305	43.3	-15 to 4	5-10	0.936	10	184	25	142	(b)	-7	8.7
Tomadol 1-5	5	392	56.1	-4 to 17	5-10	0.966	21	143	25	148	(b)	6	11.2
Tomadol 1-7	7	479	64.3	4 to 20	5-10	0.996	28	117	28	165	58	13	12.9
Tomadol 1-73B	5.6	418	59	4 to 20	5-10	0.987	48	134	26	147	36	13	11.8
Tomadol 1-9	9	569	69.6	15 to 28	5-10	1.011	31	99	31	176	74	18	13.9
Tomadol 23-1	1	238	18.5	2 to 11	5-10	0.873	13	236	(a)	143	(b)	5	3.7
Tomadol 23-3	2.9	322	39.6	-4 to 6	5-10	0.922	14	174	25	152	(b)	1	7.9
Tomadol 23-5	5	413	53.3	-3 to 23	5-10	0.965	23	136	26	157	(b)	7	10.7
Tomadol 23-6.5	6.6	484	60	11 to 25	5-10	0.984	29	116	28	168	43	15	12
Tomadol 25-3	2.8	330	37.3	2 to 11	5-10	0.921	19	170	26	157	(b)	3	7.5
Tomadol 25-7	7.3	524	61.3	2 to 26	5-10	0.965	34	107	30	186	50	19	12.3
Tomadol 25-9	8.9	597	65.6	14 to 30	5-10	0.982	41	94	30	188	74	21	13.1
Tomadol 25-12	11.9	729	71.8	20 to 34	5-10	0.999	53	77	34	223	78 ^(c)	27	14.4
Tomadol 45-7	7	529	58.2	9 to 31	5-10	0.959	35	106	29	185	45	19	11.6
Tomadol 45-13	12.9	790	71.8	25 to 37	5-10	1.003	59	71	34	249	80 ^(c)	30	14.4

(a) Aqueous solubility <0.1 wt%

(b) Aqueous solubility < 1 wt%

(c) Measured in 5% NaCl solution

Tomadol® 400, 600, 900, 1200, 1500 Surfactants – NPE Alternatives:

High-performance, environmentally-friendly nonionic surfactants designed specifically for ease of re-formulation when replacing nonyl phenol ethoxylates.

	EO Groups (Avg.)	Molecular Weight	EO Content Wt%	Melting Range, °C	Color (APHA)	Sp. Gravity @ 25 °C	Viscosity, cSt @ 100 °F	Hydroxyl No., mg KOH/g	Surface Tension (0.1 wt %)	Flash pt. °C	Cloud pt. °C	Pour pt. °C	HLB
Tomadol 400	EO	300	44.5	-25 to -7	5-10	0.93	15	189	24	124	(b)	-10	8.9
Tomadol 600	EO	400	53	-5 to 24	5-10	0.97	21	134	26	157	(b)	7	10.6
Tomadol 900	EO	460	65	2 to 15	5-10	0.98	15	122	27	159	64	8	13.1
Tomadol 901	EO	445	60	2 to 11	5-10	0.97	15	126	26	124	39	3	12.1
Tomadol 910	EO	495	59	2 to 15	5-10	0.99	30	113	27	182	43	8	11.8
Tomadol 1200	EO	590	68	15 to 28	5-10	1.00	35	95	30	145	80	19	13.6
Tomadol 1502	EO	447	59	30	50	.99	26	N/A	27	123	54	6	11.8
Tomadol 1504	EO	510	66	3	Colorless	1.01	61	N/A	30	98	72	15	13.1

(a) Aqueous solubility <0.1 wt%

(b) Aqueous solubility < 1 wt%

(c) Measured in 5% NaCl solution

Nonidet Alkoxylated Surfactants:

Low-foam, nonionic surfactants that provide multi-functional benefits in applications where foam control is a concern.

	EO Groups (Avg.)	Molecular Weight	EO Content Wt%	Melting Range, °C	Color (APHA)	Sp. Gravity @ 25 °C	Viscosity, cSt @ 100 °F	Hydroxyl No., mg KOH/g	Surface Tension (0.1 wt %)	Flash pt. °C	Cloud pt. °C	Pour pt. °C	HLB
Nonidet RK-18	EO, PO	--	--	-31 to -4	100	1.02	83	--	34	232	17	-8	6
Nonidet SF-3	EO, PO	--	--	-25 to 12	100	0.99	53	--	33	154	39-48	4	9
Nonidet SF-5	EO, PO	--	--	-25 to 7	100	0.99	54	--	34	177	35-40	-1	8

Registration status

Product	EU Countries	Non-EU Countries
Tomadol 91-2.5	discontinued	•
Tomadol 1-5	•	•
Tomadol 91-6	•	•
Tomadol 91-8	•	•
Tomadol 1-3	until 2018	•
Tomadol 1-5	•	•
Tomadol 1-7	•	•
Tomadol 1-73B	until 2018	•
Tomadol 1-9	•	•
Tomadol 23-1	until 2018	•
Tomadol 23-3	until 2018	•
Tomadol 23-5	•	•
Tomadol 23-6.5	•	•
Tomadol 25-3	until 2018	•
Tomadol 25-7	•	•
Tomadol 25-9	•	•
Tomadol 25-12	•	•
Tomadol 45-7	•	•
Tomadol 45-13	•	•
Tomadol 400	discontinued	•
Tomadol 600	•	•
Tomadol 900	•	•
Tomadol 901	discontinued	•
Tomadol 910	discontinued	•
Tomadol 1200	•	•
Tomadol 1502	•	•
Tomadol 1504	•	•
Nonidet RK-18	until 2018	•
Nonidet SF-3	until 2018	•
Nonidet SF-5	until 2018	•

Storage and Handling

The Tomadol® ethoxylates should be stored under dry and clean conditions between -10 °C and 50 °C. Please refer to Material Safety Data Sheet.

Shelf-Life

12 months from the date of manufacture.

Hazardous goods classification

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fire
- toxicity and ecological effects

is given in our material safety data sheets.

06/2017

For Technical Information, Support and Samples:

Americas: prodinfo@evonik.com
Asia: picasia@evonik.com
EMEA: apcse@evonik.com

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Evonik Nutrition & Care GmbH
Goldschmidtstraße 100
45127 Essen, Germany
Phone Europe +49 201 173 2665
Phone Asia +86 21 61191 125
Phone Americas +1 804 727 0700
interface-performance@evonik.com
www.evonik.com/Interface-performance

